



## Guidance for Repurposing Prescription Only Medicines (POMs) in Care Homes and Hospices

### Purpose

Ensuring the quality, integrity and safety of medicines is paramount and the best way to achieve this is for pharmacies to supply medicines appropriately labelled for individual residents. However this temporary guidance, which will apply only during the COVID-19 outbreak, has been developed to provide a framework for repurposing Prescription Only Medicines (POMs) where it is not possible to access medicines in a timely manner via normal routes within care homes in Scotland. The guidance may be considered for adoption in the hospice setting.

Repurposing medicines is the term used to describe a situation where a medicine prescribed for one resident (the donor) is administered to another resident (the recipient) to allow immediate treatment where access to medication is not possible via normal routes.

### Background

The legislative framework as outlined in [Human Medicines Regulations 2012](#), requires individual prescriptions for medicines to be written and dispensed for each resident. It is the accepted position in the UK that the repurposing of one person's prescribed medicines to another is not recommended.

It has been recognised that during COVID-19 there may be issues with accessing medicines, due to either:

- the fragility of the supply chain or
- residents deteriorating rapidly and in immediate need of treatment cannot access the required medicine in a timely manner via normal routes

The statutory regulators of health and care professionals have issued a [combined statement](#) which emphasises that registered health and care professionals are supported to focus on the best interests of patients at this time. This may support non-routine practice including repurposing of medicines if normal medicine supply systems will not meet the resident's immediate clinical need and this is the last resort in the best interests of patient care.

The Care Inspectorate and the Scottish Social Services Council (SSSC), as social care sector regulators, have issued a [joint statement](#) (see Appendix A) advising that while repurposing medicines prescribed for someone else is not normally acceptable, during the COVID-19 outbreak if there is no other option available, it is an ethical and moral step that may be considered. The joint statement notes that repurposing decisions should be taken within a local governance framework that includes undertaking a risk assessment and making a record of the decision.

File Name: 20200508 - Guidance for Repurposing Medicines V1.0	Date: May 2020
Produced by: Repurposing of Medicines Scottish Guidance Steering Group	Page 1 of 9   Review Date: August 2020

NHS England and NHS Wales have issued guidance on repurposing medicines. This Scottish guidance is based on the key principles outlined in the [NHS England document](#) and it has been developed to support a local governance framework. It has been developed jointly between NHS Scotland and the Care Inspectorate and had representation from pharmacy, medical and nursing professions and the Terms of Reference is [HERE](#).

This guidance requires to go through local governance process to be approved for adoption and implementation in each NHS Board area. Some Health Boards may determine that medicines assessed as suitable for repurposing, should only be held for a limited period before returning to community pharmacy for destruction to avoid unnecessary and excessive storage of medicines. Boards will advise accordingly.

Private care home providers are required to ensure a process for repurposing medicines is signed off by the appropriate care home governance process.

The guidance outlines a risk assessment which is used to assess if the benefits of using a repurposed medicine outweigh the risks for the resident. While the guidance applies to all POMs there is an expectation that repurposing is most likely to be necessary in the context of an urgent need for administration of medicines to manage severe symptoms of residents with COVID-19 or suspected COVID-19.

For efficiency and safety reasons care homes should give consideration to assessing medicines for repurposing when a donor no longer needs them. This provides time and space to allow for a conversation with residents' relatives over donation of medicines.


If a situation arises where sharing medicines between care home residents is in the best interests of an individual resident, care home staff and prescribers are asked to assess the risks and benefits in line with the principles outlined in this guidance. Additional points for consideration include: the need for confidence that the supply taken from a donor resident in the emergency situation can be replaced promptly; and the need for communication with the original prescriber to advise that the original supply has been repurposed.

See the repurposing process flowchart and the repurposing guidance video (video to follow) which provides details of the steps to be followed to undertake repurposing of POMs where there is a need for immediate treatment and access to the medicine in a timely manner is not possible via normal routes.

## Guidance for Repurposing Prescription Only Medicines (POMs) in Care Homes and Hospices

Where a medicine is repurposed<sup>1</sup> the principles of good practice for managing medicines in care homes, set out in the National Institute for Health and Care Excellence's social care guideline [Managing medicines in care homes](#) continue to apply.

### PART A - Assessing medicines to be repurposed



<sup>1</sup>Repurposing is the term used where a medicine prescribed for one resident (the donor) is administered to another resident (the recipient) to allow immediate treatment where access to medication is not possible via all other routes.

<sup>2</sup>If a healthcare professional is not available, the role of medicines assessment could be delegated to a competent senior carer or manager See [NHS England document](#) for details of relevant healthcare professionals who may undertake this role

## PART B - Use of repurposed medicines

Professional judgement is required on a case by case basis to assess if the benefits of using a repurposed medicine outweigh the risks for the resident

- Medicine to be administered
- Undertake a **Risk assessment** to consider if repurposing is the only option available.
- Only on the advice of a prescriber (**See Guidance for Prescriber**)
- Amend MAR chart in line with the direction to administer from the prescriber, as per [Care Inspectorate guidance](#) \*\*
- Record administration on MAR chart as per standard process
- If appropriate advise the original prescriber that the medicine from the donor has been repurposed

### **Risk assessment**

Standard processes to access medicines should be followed and repurposing only considered where:

- the patient is in immediate need of the medicine and
- the medicine cannot be accessed in a timely manner via the normal routes

Ensure full audit trail - Update the Repurposing Log record with details of:

- Date
- Name of medicine recipient
- Dose and quantity used
- If the medicine is a Schedule 2 CD then an additional entry must be made in CD register
- Reason for repurposing

### **Guidance for Prescriber**

In the event of an immediate need for medication which cannot be accessed in a timely manner and where no alternative is available

- If the prescriber is in the care home they can provide a written direction to administer
- If not in the home, the prescriber may give a verbal direction to administer a POM, which must be followed up with a written direction within 24 - 72hours.
- If the prescriber is not in the home and a Schedule 2 CD is required, the prescriber is asked to immediately send an electronic version of the prescription to the home in line with standard process. Note that care home staff are unlikely to act on remote direction for CD until they see a written authority.

\*\* [Care Inspectorate Guidance](#)



## Appendix A

### **A joint statement from the Care Inspectorate and the SSSC on ethical and professional decision-making in the COVID-19 pandemic, and risk assessment guidance on repurposing of medicines within care home services**

Health and social care staff are playing a vital role caring for people during the Covid-19 pandemic.

We recognise that the prime concern for everyone is the health, safety and wellbeing of people experiencing care. We also acknowledge the continued dedication, professionalism, compassion and commitment of all those working to care for people in the most difficult of circumstances; we thank you all for all that you do.

We acknowledge that in certain circumstances staff may need to depart from established practices in the administration of medication, in order to care for people in an ethical manner.

The pandemic raises concerns with accessing palliative care medicines, particularly controlled drugs, due to either fragility of the medicine supply chain (locally or nationally), or if people who need care deteriorate rapidly out of hours when a prescription cannot be dispensed.

The repurposing of medicines prescribed for someone else is not a practice that is normally acceptable. However, at this time, if there is no other option available, we acknowledge that this may be an ethical and moral step that may be considered.

Repurposing of medicines is not a decision to be taken lightly. It should be seen as a last resort to provide a patient with access to palliative medication that they require when other options to access stock cannot be made in a timely way to meet the patient needs. Such decisions should be taken within a local governance framework that includes undertaking of a risk assessment and a decision record made.

## Appendix B: Template for Repurposing Medicine Assessment

***This provides an example of how the repurposing medicines assessment may be recorded. Please adapt if required to suit local standard procedures***

Record reason for repurposing medicine on donor MAR chart.

If the answer to all questions is yes, the risk of repurposing the medicine may be considered as minimal. If the answer to any question is no, then the medicine should not be repurposed.

Date	Name of resident (donor)	Name of original prescriber	Registered healthcare professional* performing assessment	Medicine (generic name, form, strength)	Quantity	Suitable for repurposing Y/N

	Yes	No	Notes
Is the medicine in an intact ampoule or intact blister that has not been tampered with?			If the contents of the blister or the ampoule are completely intact, and match the description on the packaging they were retrieved from (including batch numbers) they can be considered for repurposing.
Is it in date?			Medicines should be in date. If expired, return to a pharmacy for destruction
Has it been stored appropriately, including any need for refrigeration?			Medication must be stored according to manufacturer's instructions. Medicines requiring refrigeration, or having a reduced shelf-life once removed from refrigerated storage, should be stored at the appropriate temperature. Medicines stored in unsuitable conditions (eg direct sunlight, near radiators) or where appropriate storage cannot be confirmed, should not be repurposed.
Has the medicine been prescribed for the donor resident by a prescriber?			Medicines originally prescribed and dispensed via the usual routes for the donor resident can be considered for repurposing

\*If a healthcare professional is not available, the role of medicines assessment could be delegated to a competent senior carer or manager. See [NHS England document](#) for details of relevant healthcare professionals who may undertake this role

## Appendix C: Template Repurposing Log for Prescription Only Medicines (POMs)

*This provides an example of a repurposing log to ensure a robust audit trail for repurposed POMs. Please adapt as required to suit local standard procedures*

A new page for each repurposed medicine



**Name and Form of Prescription Only Medicine:** Levomepromazine 25mg in 1ml ampoules **SU Name:** Repurposed Medicines

Quantity obtained from supplier	Date supply obtained	Name and Address from whom obtained (i.e. supplier)	Current balance in stock	Date supplied (to service user) or disposed	Time	Quantity supplied to service user	Quantity disposed	Given/Disposed by (signature)	Witnessed by (signature)	Balance left in stock
5 ampoules	06.04.20	David Burns	-	-	-	-	-	D Mitchell	P Johnston	5 ampoules
4 ampoules	13.04.20	Jane Jones	-	-	-	-	-	A McDonald	H Gallan	9 ampoules
				19.04.20	1600	-	1 ampoule Transferred to Alan Orr	A McDonald	D Mitchell	8 ampoules

**When transferring repurposed medicine this must be entered on the MAR Chart for the recipient.**

**A note will be entered on the MAR Chart detailing the reason this repurposed medicine is being used.**

## Appendix D: Template for Recording Repurposed Controlled Drugs (CDs)

*This provides an example of a process which might be followed to record repurposed CDs. Please adapt as required to suit local standard procedures*

Recorded in the back page of the CD Register

Name, Strength and Form of Controlled Drug: Diamorphine 5mg/5ml Ampoule

SU Name: Repurposed Medicines

Quantity obtained from supplier	Date supply obtained	Name and Address from whom obtained (i.e. supplier)	Current balance in stock	Date supplied (to service user) or disposed	Time	Quantity supplied to service user	Quantity disposed	Given/Disposed by (signature)	Witnessed by (signature)	Balance left in stock
4 Transferred from page 3	12.04.20	John Smith	-	-	-	-	-	D Mitchell	P Johnston	4
6 Transferred from page 9	13.04.20	Jane Doe	-	-	-	-	-	A McDonald	H Gallan	10
				19.04.20	1100		4 Transferred to page 12	A McDonald	D Mitchell	6

**When transferring repurposed medicine, this must be entered on a separate page (of the Controlled Drug Register) for the resident. See page 12 example below.**

**A note will be entered on the MAR Chart detailing why this repurposed medicine is being used.**



Name Strength and Form of Controlled Drug: Diamorphine 5mg/5ml AmpouleSU Name: James Brown

Quantity obtained from supplier	Date supply obtained	Name and Address from whom obtained (i.e. supplier)	Current balance in stock	Date supplied (to service user) or disposed	Time	Quantity supplied to service user	Quantity disposed	Given/Disposed by (signature)	Witnessed by (signature)	Balance left in stock
4	19.04.20	Repurposed Medicines Transferred from page 199	-	-	11:00			D Mitchell	P Johnston	4
				19.04.20	11:05	2.5ml GIVEN	2.5ml DESTROYED	A McDonald	D Mitchell	3